

PRODUCT RANGE 2021

SINKS TAPS ACCESSORIES

Contents

Sinks Bespoke **Axix Range** Zen Range Zen15 Range Zen15 PVD Range Zen I-F Range Zen15 I-F Range Zen15 XXL Range Zen15 Belfast Range Zen10 Options Range 87 **Accessible Range Accessory Trough Range** LuxsoPlus Range 101 **Etro Range** Razor10 Range Forza Range **Bordo Range Velore Range** purquartz Blade Range purquartz Shard Range purquartz Delta Range purquartz Cava Range **Argilla Fireclay Range Etro Ceramic Range**

Taps

Fontaine	166
Courbe	167
Cascata	168
Pluie	169
Davanti	170
Curvato	171
Ruscello	172
1810XXX	173
Pendenza	174
Davanti Pull out spray	175
Grande	176
Versare	177
Finire Knurled	178
Aero	179
Novanta	180
Spirale Spring	181
Spriale Knurled	182
Spirale	183
Spirale Colours	184
Spruzzo	185
Curvato Trio filter tap	186
1810 XXX <u>ourquartz</u> effect	188
Courbe Duo - Black <u>purquartz</u> effect	189
Courbe Duo - White purquartz effect	190
Courbe - Chrome purquartz effect	191
Cascata - Chrome <u>purquantz</u> effect	192
Courbe - Copper <u>purquantz</u> effect	193
Cascata - Copper <u>purquartz</u> effect	194
Courbe - Gold Brass <u>purquantz</u> effect	195
Cascata - Gold Brass ourquaitz effect	196

Traditional Taps

Rodez	198
Moulins	199

Industrial-Style Taps

Single Lever	202
Twin Lever	203
Bridge Mixer	204
Wall Mounted	205

Integrated Soap Dispenser

Integrated Soap Dispenser	208
Waste Bins	209
Sinks/Taps quick ref	211
Accessories quick ref	221
Base unit size guide	223
Care & Cleaning	225
Warranty	226

Ranges...

Bespoke

The 1810 Bespoke service allows you to create a unique sink design to your own specification.

Axix Range

This unique concept allows for a combination of solid surface, quartz or stone and a contemporary designed sink.

Zen Range
The Zen range is a contemporary linear design with striking square and rectangular bowls.

Zen15 Range

The Zen15 range has a contemporary linear design with a subtle 15mm internal radius.

Zen15 PVD Range
A selection of handmade bowls finished in a durable PVD coating.

Zen I-F Range
The Zen I-F range are handmade insets with a slim
1.5mm profile for a flush look.

Zen15 I-F Range
The Zen15 I-F range are handmade insets with a 15mm internal radius

The Zen15 XXL Range
The Zen15 XXL range are extra large handmade undermounts with a 15mm internal radius.

Zen15 Belfast Range

A contemporary option to a traditional Belfast sink which looks perfect in both traditional and modern kitchen designs.

Zen10 Options Range
 A range of contemporary undermount sinks with a choice of versatile accessories to turn your sink into a multi-purpose workstation.

Accessible Range
 A sink and tap combination suitable for use in accessible kitchens

Accessory Trough Range
The versatile Accessory Trough range is the perfect final touch to every kitchen.

LuxsoPlus Range
The Luxsoplus range is a contemporary design with 25mm radius corners.

Etro Range

The Etro range has a curved classic design.

Razor10 Range

A range of stainless steel inset sinks featuring a 10mm radius and contemporary 'Razor' edge profile.

Forza Range

13

The handmade Forza range feature a 15mm internal radius and benefit from 1.2mm thick steel providing strength and durability.

Bordo Range

A range of inset sinks featuring the latest in contemporary design.

Velore Range

The Velore range combines modern design, high specification and competitive pricing.

<u>purquartz</u> Blade Range

A range of inset Purquartz sinks in a choice of six popular colourways.

OUTQUARTZ Shard Range
Quartz insets in a choice of contemporary colours.

purquartz Delta Range

A comprehensive range of stylish, Purquartz inset sinks in a selection of tonal colourways.

<u>purquartz</u> Cava Range

Quartz undermounts for a contrasting finish to your solid surface.

Argilla Fireclay Range

A range of highly durable white fireclay sinks featuring a non-porous surface with an everlasting shine.

Etro Ceramic Range

The Etro Ceramic range has a curved classic design.

Contemporary Taps

1810 taps are available in a variety of contemporary and classic designs.

All are supplied with a Neoperl Aerator for a non-splash creamy flow

A selection of 1810 taps that will match perfectly

Traditional / Industrial-Style Taps
Timeless kitchen taps in a choice of stylish finishes.

Soap Dispenser

A top filled liquid soap dispenser, easy to install and available in a range of colours.

21 Waste bins and Quick Ref Guide

Welcome...

to The 1810 Company.

We supply an evergrowing range of sinks, taps and accessories, and that's it! We have a simple philosophy, which is to supply innovative and contemporary European design in a wide range of standard and more unique size combinations, appealing to those who appreciate superior quality and style.



All our products are in stock and despatched from our UK distribution centre on a next working day delivery service (cut-off times apply).

www.the1810company.co.uk







Islington Trade Showroom

The 1810 trade showroom is located in the Business Design Centre, London. The majority of our sinks and taps are showcased here together with our latest products and innovations.

As we hold regular trade events at the showroom, we would recommend that you telephone ahead of your visit to ensure that there will be someone available to meet with you.

Address.

Suite 303, Business Design Centre Upper Street, The Angel, London N1 0QH

Tel. 07754 757322

Email. sales@the1810company.co.uk

Opening hours: Our Islington showroom is not manned every day. Please call to book an appointment.

Visiting us

By train: We are 5 minutes walk from The Angel tube station (Northern line) allowing you to travel to and from Central London in minutes. Just a little further in the opposite direction is Highbury and Islington with great underground and overground connections.

By car: Driving to the venue is simple as we are located just outside the congestion charge zone on the A1, there is also a NCP car park onsite








Our NEW mobile app is an efficient and simple to use ordering system, fully compatible with industry management software such as EQ Software and Compusoft.

Streamline your ordering process with 24/7 access to place orders, view favourites and order history, compile shopping lists, check stock and make payments whenever or wherever is convenient.


Get your entire workforce connected to our market-leading online ordering platform to take full advantage of our latest offers and multi-buy promotions.

Please visit www.the1810company.co.uk to register for the 1810 HUB.





NOW AVAILABLE
ON APPLE AND ANDROID



The Brand Ambassador Elite Programme.

The Brand Ambassador Elite programme has been formed to allow us to develop a stronger relationship with our core retailers.

Our Brand Ambassadors enjoy additional display benefits, online margin guarantee, a quarterly rebate, dedicated point of sale, sales designer incentive scheme, quarterly prize draw, dual branded corporate clothing, dedicated phone line, no minimum order charge and much, much more!

Don't just take our word for it, read what some of our Brand Ambassadors have to say about the scheme and why they would recommend it to you...



Paul O'Brien, owner of Elite Kitchen Designs, Swinton, Manchester

The 1810 Company provide a great range of products to suit all budgets together with a back-up service which is second to none. The staff have superb product knowledge and are always at the end of the phone should we require any advice or technical information. This, together with a straightforward ordering process and overnight delivery, keeps everything ticking over nicely!



Paul Byrne, retail manager of QK Living, Walkinstown, Dublin

Having searched for something new and exciting that would encourage our customers to have enthusiasm in selecting their sink and tap, we discovered The 1810 Company. The benefits offered on the Brand Ambassador Programme are really useful to our company and we are genuinely excited about working with 1810 moving forward.







Richard Webster and Denise Denney, owners of Impact Kitchens, Blackpool

We were attracted to the Brand Ambassador Programme because we prefer to work with one supplier and the benefits the scheme provides, such as the display offers and branded corporate clothing works well for us. The 1810 Company are a good, reliable supplier of high-quality sinks and taps which are backed by a generous guarantee.

Rob and Liane Kemp, owners of Kemphaus Kitchens, Bishop's Stortford

We've really enjoyed working with The 1810 Company over the years so when we were asked to be part of the Brand Ambassador Programme we jumped at the chance. The associated benefits are superb and we have more face-to-face contact with our 1810 business development manager than any of our other suppliers. 1810 genuinely care about their customers and really want to work alongside them.

Mick Jackson, owner of MJ Interiors Kitchens, Stockton-on-Tees.

I was honoured when I was asked to be an Ambassador for 1810. The programme ensures that the displays in my showroom are kept up to date. The fast turnaround from ordering through to delivery, along with a quarterly rebate and branded corporate clothing just goes to show that 1810 really do go out of their way to help you and your business thrive.





We have had nothing but a positive experience with The 1810 Company since joining the Brand Ambassador Programme. 1810's brand image and product quality are very much in keeping with those of Celtic Interiors so we feel 1810 is the perfect partner for us. The benefits of the scheme are extremely rewarding and we are looking forward to developing our working relationship moving forward.



Gary McGowan and Rob Thorpe, owners of Studio 35, York

The true benefit of being part of the Brand Ambassador Programme is being a member of The 1810 Company's Elite network. If you are looking for a loyal supplier of quality products with a genuine enthusiasm for your business then 1810 is the one. Their Brand Ambassador Programme offers great benefits, great products and a great team — the perfect partnership!



Steve Perrio, director of Simply Kitchens, Fareham.

I would highly recommend The 1810 Company to other retailers. 1810 sinks and taps are excellent quality, very competitively priced and the range covers pretty much every requirement. Being part of the Brand Ambassador Programme is the icing on the cake!


And now the boring stuff...

We don't want to be too technical but there are some features about The 1810 Company sinks and taps we think you would like to know.



Here at The 1810 Company we like to keep things simple so you will notice in our model codes 'BBR' & 'BBL' this is an easy reference for you when ordering...

BBR - Big bowl right **BBL** - Big bowl left See... simple!



Quality of manufacturing and integrity of the sinks is very important. We brace all two bowl sinks to eliminate stress on the bridge between the bowls and strengthen the construction (available on all Zen, Luxsoplus and Etro steel sinks).



During manufacture we go the extra mile to finish the edges on our undermount sinks even though it isn't seen when fitted. It also allows certain models to be inset / topmounted for a more luxurious look.



The quality of steel we use meets the most exacting standards 1.2mm, 18 gauge is used for our Zen, Etro, Forza and Luxsoplus models and all steel used is medical grade 18/10 304 quality. The best for stainless steel sink manufacturing.



High heat resistance
(1200°C) hygienic and
non-porous as well as
chemical resistant makes our
CERATICA PURO a popular
choice. The ultra smooth
white surface gives a clean
look. Make sure you follow
the installation guide.



Fireclay sinks are heat resistant to 1600°C and are hygienic, non-porous and chemical resistant.

They are extremely hardwearing and feature an everlasting shiny surface.



The OUTQUARTZ range is manufactured using German technology.
Comprising of 80% natural Quartz particles, the sinks are heat resistant (230°C) food stain resistant and will withstand impact. These sinks are durable and made to last, backed by our 75 year quarantee.



What is PVD?
PVD stands for Physical

Vapour Deposition. A process used to create a very durable, corrosion and tarnish free finish. PVD is extremely durable but not invincible, scratches will appear as they do with stainless steel but will also develop a patina with time.



INSUSOUND®-

Our sinks are treated on the underside with a protective powder coating, which we call 'Insusound'. This will help retain the heat of the water in the bowl, and dramatically reduce noise when fitting a waste disposal unit. (Available on all Zen, Luxsoplus and Etro steel sinks).



A Compact Plumbing Kit is available as a no cost option – please specify at time of sink purchase.



Most 1810 sinks are supplied with a BS approved maximiser plumbing kit, which is also available to purchase separately. This kit is comprehensive and includes all parts required for any sink installation.

Please refer to the 'How to assemble' video on our website.



1810 products are manufactured to the highest standard. In accordance with the Construction Products Directive (89 / 106 / EEC), all of our sinks are tested to BS EN 13310: 2003 / BS EN 13310: 2015 and are CE certified.



The majority of our taps have WRAS approval. Look out for the logo on our tap pages. WRAS Approval is granted by representatives of water suppliers and is therefore accepted by every water supplier in the UK. WRAS Approval is the best way to ensure compliance and that your tap is manufactured to the highest standards.

THE 1810 COMPANY SUPPORTS



REG CHARITY: 1062559 (ENGLAND & WALES), SC039757 (SCOTLAND)

Are a dedicated charity who support young people who have been diagnosed with cancer in the UK. For every 1810 Curvato Trio tap purchased, we will donate £5 to this very worthy cause.



Business management software for the kitchen, bedroom and bathroom industry.



A powerful sales tool to help kitchen dealers create advanced kitchen designs in minutes.





Bespoke kitchen sink manufacturing service





The **1810 Bespoke** service allows you to create a unique sink design either for personal preference or to work within design and space limitations.


Please see below for examples of Bespoke project requests undertaken.























This unique concept allows for a combination of solid surface, quartz or stone and a contemporary designed sink to give a finished look of a steel bottomed material clad sink but without a join between the surface and the sink at the base, that previously was the only option.


This system allows for a straightforward fabrication method that can be completed in the workshop using standard tools and create a watertight solution that allows the use of hot/boiling water taps and creates an upmarket contemporary finish.

The AXIX sinks are manufactured to the same exacting standards of every 1810 sink using 1.2mm, 304 grade stainless steel. A PVD finish in Copper, Gunmetal or Gold Brass is also available. All sinks have protective powder coating on the underside (Insusound) which insulates helping to retain the heat of the water in the bowl whilst also reducing noise if a waste disposer is fitted. A full maximiser plumbing kit is also supplied providing all parts required for any sink installation.

AXIX is also backed by our 75 year guarantee that warrants the sinks to be free of manufacturing defects in material and workmanship under normal usage. Any warranty on the fabrication component is the responsibility of the fabricator or retailer.





Images shown are actual installations, please visit our website for the latest images www.the1810company.co.uk/actual-installations/






Images shown are actual installations, please visit our website for the latest images www.the1810company.co.uk/actual-installations/









AXIXUNO 190U

- Handmade bowl
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

16mm - Solid Surface

Sink Model AXIXUNO 190U STAINLESS STEEL SOS 1810 Code AU/19/U/S/16MM/SOS/456

710 0000 A0, 13, 0, 0, 10 mm, 000, 430

Sink Model AXIXUNO 190U COPPER SOS 1810 Code AU/19/U/COP/16MM/SOS/556

Sink Model AXIXUNO 190U GUNMETAL SOS 1810 Code AU/19/U/GM/16MM/SOS/656

Sink Model AXIXUNO 190U GOLD BRASS SOS 1810 Code AU/19/U/GB/16MM/SOS/756





Minimum cabinet size: 300mm



AXIXUNO 210U

- Handmade bowl
- Insusound[®]



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

26mm - Stone/Quartz/Ceramic


Sink Model AXIXUNO 210U STAINLESS STEEL QG 1810 Code AU/21/U/S/26MM/QG/459

Sink Model AXIXUNO 210U COPPER QG 1810 Code AU/21/U/COP/26MM/QG/559

Sink Model AXIXUNO 210U GUNMETAL QG 1810 Code AU/21/U/GM/26MM/QG/659

Sink Model AXIXUNO 210U GOLD BRASS QG 1810 Code AU/21/U/GB/26MM/QG/759





Minimum cabinet size: 300mm







GOLD BRASS





GUNMETAL



ZEN COLANDER DRAINER AC-AXIX-COL-SS



ZEN COLANDER DRAINER GOLD BRASS



ZEN COLANDER DRAINER COPPER AC-AXIX-COL-COP




ZEN COLANDER DRAINER GUNMETAL

AXIXUNO 450U

- Handmade bowl
- Insusound[®]





- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass


Minimum cabinet size: 500mm

16mm - Solid Surface

Sink Model **AXIXUNO 450U** STAINLESS STEEL SOS AU/45/U/S/16MM/SOS/450 1810 Code Sink Model **AXIXUNO 450U COPPER SOS** 1810 Code AU/45/U/COP/16MM/SOS/550


Sink Model **AXIXUNO 450U GUNMETAL SOS** AU/45/U/GM/16MM/SOS/650 1810 Code

Sink Model **AXIXUNO 450U GOLD BRASS SOS** AU/45/U/GB/16MM/SOS/750 1810 Code



26mm - Stone/Quartz/Ceramic

Sink Model **AXIXUNO 450U** STAINLESS STEEL QG 1810 Code AU/45/U/S/26MM/QG/451 Sink Model **AXIXUNO 450U COPPER QG** 1810 Code AU/45/U/COP/26MM/QG/551 Sink Model **AXIXUNO 450U GUNMETAL QG** AU/45/U/GM/26MM/QG/651 1810 Code Sink Model **AXIXUNO 450U GOLD BRASS QG** AU/45/U/GB/26MM/QG/751 1810 Code







GOLD BRASS



COPPER





ZEN COLANDER DRAINER GUNMETAL





ZEN COLANDER DRAINER GOLD BRASS



ZEN COLANDER DRAINER COPPER

AXIXUNO 500U

- Handmade bowl
- Insusound[®]




■ 3½" basket strainer waste and overflow included

- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

Minimum cabinet size: 600mm

16mm - Solid Surface


Sink Model **AXIXUNO 500U** STAINLESS STEEL SOS AU/50/U/S/16MM/SOS/452 1810 Code Sink Model **AXIXUNO 500U COPPER SOS** 1810 Code AU/50/U/COP/16MM/SOS/552 **AXIXUNO 500U GUNMETAL SOS** Sink Model AU/50/U/GM/16MM/SOS/652 1810 Code Sink Model **AXIXUNO 500U GOLD BRASS SOS** AU/50/U/GB/16MM/SOS/752 1810 Code



26mm - Stone/Quartz/Ceramic

AC-AXIX-COL-GM

Sink Model **AXIXUNO 500U** STAINLESS STEEL QG AU/50/U/S/26MM/QG/453 1810 Code Sink Model **AXIXUNO 500U COPPER QG** 1810 Code AU/50/U/COP/26MM/QG/553 Sink Model AXIXUNO 500U GUNMETAL QG AU/50/U/GM/26MM/QG/653 1810 Code Sink Model AXIXUNO 500U GOLD BRASS QG AU/50/U/GB/26MM/QG/753 1810 Code






AXIXUNO 700U







- and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

Minimum cabinet size: 800mm

16mm - Solid Surface

 Sink Model
 AXIXUNO 700U STAINLESS STEEL SOS

 1810 Code
 AU/70/U/S/16MM/SOS/454


 Sink Model
 AXIXUNO 700U COPPER SOS

 1810 Code
 AU/70/U/COP/16MM/SOS/554

 Sink Model
 AXIXUNO 700U GUNMETAL SOS


1810 Code AU/70/U/GM/16MM/SOS/654

Sink Model AXIXUNO 700U GOLD BRASS SOS
1810 Code AU/70/U/GB/16MM/SOS/754



26mm - Stone/Quartz/Ceramic

Sink Model **AXIXUNO 700U** STAINLESS STEEL QG 1810 Code AU/70/U/S/26MM/QG/455 **AXIXUNO 700U COPPER QG** Sink Model 1810 Code AU/70/U/COP/26MM/QG/555 Sink Model **AXIXUNO 700U GUNMETAL QG** 1810 Code AU/70/U/GM/26MM/QG/655 **AXIXUNO 700U GOLD BRASS QG** Sink Model 1810 Code AU/70/U/GB/26MM/QG/755













ZEN COLANDER DRAINER GUNMETAL AC-AXIX-COL-GM

AXIXUNO - SET A

- Handmade bowls
- Insusound[®]
- 3½" and mini basket strainer wastes and overflows included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

Minimum cabinet size: 600mm

SET A - 16mr

Sink Model AXIXUNO SET A - 355U & 150U STAINLESS STEEL (full half bowl)

1810 Code AU/3515-400/U/S/16MM/SOS/457

Sink Model AXIXUNO SET A - 355U & 150U COPPER (full half bowl)


1810 Code AU/3515-400/U/COP/16MM/SOS/557

Sink Model AXIXUNO SET A - 355U & 150U GUNMETAL (full half bowl)

1810 Code AU/3515-400/U/GM/16MM/SOS/657

Sink Model AXIXUNO SET A - 355U & 150U GOLD BRASS (full half bowl)

1810 Code AU/3515-400/U/GB/16MM/SOS/757









GOLD BRASS



COPPER



GUNMETAL



ZEN COLANDER DRAINER AC-AXIX-COL-SS



ZEN COLANDER DRAINER GOLD BRASS



ZEN COLANDER DRAINER COPPER AC-AXIX-COL-COP



ZEN COLANDER DRAINER GUNMETAL

AXIXUNO - SET B

- Handmade bowls
- Insusound[®]



- 3½" and mini basket strainer wastes and overflows included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

Minimum cabinet size: 600mm

SET B - 16mm

Sink Model AXIXUNO SET B - 355U & 150U STAINLESS STEEL (short half bowl) 1810 Code AU/3515-300/U/S/16MM/SOS/458


Sink Model AXIXUNO SET B - 355U & 150U COPPER (short half bowl)

1810 Code AU/3515-300/U/COP/16MM/SOS/558

Sink Model AXIXUNO SET B - 355U & 150U GUNMETAL (short half bowl)

1810 Code AU/3515-300/U/GM/16MM/SOS/658

Sink Model AXIXUNO SET B - 355U & 150U GOLD BRASS (short half bowl) 1810 Code AU/3515-300/U/GB/16MM/SOS/758











SINK Model ZENUNO 180U

1810 Code ZU/18/U/S/017


- Undermounted handmade bowl, can also be flushmounted or inset
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 300mm For accessories see page 221





Shown with waste tidy, see page 221





SINK Model ZENUNO 340U

1810 Code ZU/34/U/S/018

- Undermounted handmade bowl Can also be flushmounted or inset
- Satin finish
- Insusound[®]





- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 400mm For accessories see page 221















"An extra deep bowl is a personal choice

SINK Model ZENUNO 340U DEEP

1810 Code ZU/34/U/D/S/70

- Undermounted handmade bowl, can also be flushmounted or inset
- Satin finish
- Insusound[®]




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 400mm For accessories see page 221





Shown with waste tidy, see page 221





SINK Model ZENUNO 400U

1810 Code ZU/40/U/S/019

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 450mm For accessories see page 221





Shown with waste tidy, see page 221



ZU/40/U/D/S/071







SINK Model ZENUNO 400U DEEP

1810 Code ZU/40/U/D/S/071

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 450mm For accessories see page 221













SINK Model ZENUNO 450U

1810 Code ZU/45/U/S/020

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 500mm For accessories see page 221





Shown with waste tidy, see page 221



ZU/50/U/S//021





SINK Model ZENUNO 500U


1810 Code ZU/50/U/S/021

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221













SINK Model ZENUNO 500U DEEP

1810 Code ZU/50/U/D/S/074


- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]
 - ilisusouliu 🔖
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221





Shown with waste tidy, see page 221







SINK Model ZENUNO 500U OSW

1810 Code ZU/50/U/S/OSW/061

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221





Shown with waste tidy, see page 221





"Generous dimensions for large oven trays and pans"

SINK Model ZENUNO 700U

1810 Code ZU/70/U/S/023

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]





- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221









SINK Model ZENUNO 700U OSW

1810 Code ZU/70/U/S/OSW/062

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221





Shown with waste tidy, see page 221






Image shown **ZENDUO 340/180U BBL**

SINK Model ZENDUO 340/180U BBL SINK Model ZENDUO 180/340U BBR

1810 Code ZD/3418/U/S/BBL/022 1810 Code ZD/1834/U/S/BBR/024

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included


Minimum cabinet size: 600mm For accessories see page 221



Zenduo 180/340U BBR



Zenduo 340/180U BBL Shown with waste tidy, see page 221





"The big brother to the popular 340/180 with a bigger main bowl for larger cooking utensils"

Image shown ZENDUO 550/180U BBL

SINK Model ZENDUO 550/180U BBL SINK Model ZENDUO 180/550U BBR

1810 Code ZD/5518/U/S/BBL/028 1810 Code ZD/1855/U/S/BBR/029

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included


Minimum cabinet size: 800mm For accessories see page 221



Zenduo 180/550U BBR



Zenduo 550/180U BBL







SINK Model ZENDUO 700/180U


1810 Code ZD/7018/U/D/S/072

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 1000mm For accessories see page 221







ZD/3434/U/S/075



SINK Model ZENDUO 340/340U

1810 Code ZD/3434/U/S/075

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included







Shown with waste tidy, see page 221





SINK Model ZENDUO 400/400U


1810 Code ZD/4040/U/S/025

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 900mm For accessories see page 221









SINK Model ZENDUO 415/415U DEEP

1810 Code ZD/4141/U/D/S/073

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 900mm For accessories see page 221









SINK Model ZENTRIO 340/180/340U

1810 Code ZT/341834/U/S/115

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 1000mm For accessories see page 221









SINK Model ZENUNO 675U CURVE

1810 Code ZU/675/U/S/200

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm or corner base


For accessories see page 221


















SINK Model ZENUNO15 200U

1810 Code ZU/20/U15/S/086

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 300mm For accessories see page 221











SINK Model ZENUNO15 340U

1810 Code ZU/34/U15/S/087

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗





- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 400mm For accessories see page 221











SINK Model ZENUNO15 400U

1810 Code ZU/40/U15/S/080

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 450mm For accessories see page 221





Shown with waste tidy, see page 221





SINK Model ZENUNO15 500U

1810 Code ZU/50/U15/S/088

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221











SINK Model ZENUNO15 500U OSW

1810 Code ZU/50/U15/S/OSW/066

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221











SINK Model ZENUNO15 550U

1810 Code ZU/55/U15/S/081

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗





- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221









SINK Model ZENUNO15 550U DEEP

1810 Code ZU/55/U15/D/S/078

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221





Shown with waste tidy, see page 221





SINK Model ZENUNO15 700U

1810 Code ZU/70/U15/S/083

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221









SINK Model ZENUNO15 700U OSW

1810 Code ZU/70/U15/S/OSW/067

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221





Shown with waste tidy, see page 221





SINK Model ZENUNO15 700U DEEP

1810 Code ZU/70/U15/D/S/077

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221









SINK Model ZENDUO15 340/180U BBL 1810 Code ZD/3418/U15/S/BBL/085 SINK Model ZENDUO15 180/340U BBR 1810 Code ZD/1834/U15/S/BBR/082

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included


Minimum cabinet size: 600mm For accessories see page 221



ZENDUO15 180/340U BBR



ZENDUO15 340/180U BBL Shown with waste tidy, see page 221







"A larger version of the 340/180 15R with bigger bowls for larger cooking utensils"

Image shown ZENDUO15 550/200U BBL

SINK Model ZENDUO15 550/200U BBL 1810 Code ZD/5520/U15/S/BBL/150 SINK Model ZENDUO15 200/550U BBR 1810 Code ZD/2055/U15/S/BBR/151

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🐼



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included


Minimum cabinet size: 900mm For accessories see page 221



ZENDUO15 200/550U BBR



ZENDUO15 550/200U BBL





"Two good sized bowls, very practical"

SINK Model ZENDUO15 400/400U

1810 Code ZD/4040/U15/S/084

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🐼





- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 900mm For accessories see page 221











SINK Model ZENUNO15 400U - COPPER SINK Model ZENUNO15 400U - GUNMETAL SINK Model ZENUNO15 400U - GOLD BRASS 1810 Code ZU/40/U15/COP/600 1810 Code ZU/40/U15/GM/601 1810 Code ZU/40/U15/GB/606

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- PVD coated in a copper, gunmetal or gold brass finish
- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Insusound[®] 🚳
- Steel thickness 1.2mm
- Individually boxed
- Waste Tidy available in Copper, Gunmetal and Gold Brass
 see page 215

Minimum cabinet size: 450mm


For accessories see page 221



ZENUNO15 400U - COPPER



ZENUNO15 400U - GOLD BRASS






Image shown ZENUNO15 500U - COPPER

SINK Model ZENUNO15 500U - COPPER SINK Model ZENUNO15 500U - GUNMETAL SINK Model ZENUNO15 500U - GOLD BRASS 1810 Code ZU/50/U15/COP/602 1810 Code ZU/50/U15/GM/603 1810 Code ZU/50/U15/GB/607

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- PVD coated in a copper, gunmetal or gold brass finish
- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Insusound[®] 🖗
- Steel thickness 1.2mm
- Individually boxed
- Waste Tidy available in Copper, Gunmetal and Gold Brasssee page 215

Minimum cabinet size: 600mm


For accessories see page 221



ZENUNO15 500U - GUNMETAL



ZENUNO15 500U - GOLD BRASS



540




Image shown ZENUNO15 700U - GOLD BRASS

SINK Model ZENUNO15 700U - COPPER SINK Model ZENUNO15 700U - GUNMETAL SINK Model ZENUNO15 700U - GOLD BRASS 1810 Code ZU/70/U15/COP/604 1810 Code ZU/70/U15/GM/605 1810 Code ZU/70/U15/GB/608

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- PVD coated in a copper, gunmetal or gold brass finish
- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Insusound[®] 🚳
- Steel thickness 1.2mm
- Individually boxed
- Waste Tidy available in Copper, Gunmetal and Gold Brass
 see page 215

Minimum cabinet size: 800mm

For accessories see page 221



ZENUNO15 700U - COPPER



ZENUNO15 700U - GUNMETAL










Image shown **ZENDUO 310/180 I-F BBL**

SINK Model ZENDUO 310/180 I-F BBL SINK Model ZENDUO 180/310 I-F BBR

1810 Code ZD/3118/IF/S/BBL/006 1810 Code ZD/1831/IF/S/BBR/005

- Handmade inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 👰




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221





ZENDUO 310/180 I-F BBL Shown with waste tidy, see page 221





"Good size deep bowl with 2 drainers, what more can you say!"

SINK Model ZENUNO 45 I-F DEEP

1810 Code ZU/45/IF/D/S/045

- Handmade inset bowl. can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🖗



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 500mm For accessories see page 221












Image shown **ZENUNO 5I-F BBL**

SINK Model ZENUNO 5 I-F BBL SINK Model ZENUNO 5 I-F BBR

1810 Code ZU/5/IF/S/BBL/039 1810 Code ZU/5/IF/S/BBR/026

- Handmade inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🚱



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included


Minimum cabinet size: 500mm For accessories see page 221



Zenuno 5 I-F BBR



Zenuno 5 I-F BBL Shown with waste tidy, see page 221



"Generously proportioned deep bowl and drainer, swallows up the biggest pans!

Image shown **ZENUNO 70I-F BBL**

SINK Model ZENUNO 70 I-F DEEP BBL **SINK Model ZENUNO 70 I-F DEEP BBR**

1810 Code ZU/70/IF/D/S/BBL/040 1810 Code ZU/70/IF/D/S/BBR/041

- Handmade inset bowl. can also be flushfit or undermounted
- Satin finish
- Insusound[®]



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included


Minimum cabinet size: 800mm For accessories see page 221



Zenuno 70 I-F BBR



Zenuno 70 I-F BBL Shown with waste tidy, see page 221







"A traditional inset sink handmade for a contemporary look

Image shown **ZENDUO 6I-F BBL**

SINK Model ZENDUO 6 I-F BBL SINK Model ZENDUO 6 I-F BBR

1810 Code ZD/6/IF/S/BBL/038 1810 Code ZD/6/IF/S/BBR/027

- Handmade inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included





Zenduo 6 I-F BBL Shown with waste tidy, see page 221



Minimum cabinet size: 600mm For accessories see page 221







SINK Model ZENUNO15 400 I-F

1810 Code ZU/40/IF/U15/S/089

- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 450mm For accessories see page 221











SINK Model ZENUNO15 500 I-F

1810 Code ZU/50/IF/U15/S/090

- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🖗





- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221











SINK Model ZENUNO15 700 I-F

1810 Code ZU/70/IF/U15/S/099

- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🖗



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221










Image shown ZENUNO15 5 I-F BBL

SINK Model ZENUNO15 5 I-F BBL **SINK Model ZENUNO15 5 I-F BBR**

1810 Code ZU/5/IF/U15/S/BBL/153 1810 Code ZU/5/IF/U15/S/BBR/152

- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🖗



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 500mm For accessories see page 221



Zenuno15 5 I-F BBR



Zenuno15 5 I-F BBL Shown with waste tidy, see page 221








Image shown ZENUNO15 55I-F BBL

SINK Model ZENUNO15 55 I-F BBL SINK Model ZENUNO15 55 I-F BBR

1810 Code ZU/55/IF/U15/S/BBL/156 1810 Code ZU/55/IF/U15/S/BBR/157

- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound® 🚱



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included


Minimum cabinet size: 600mm For accessories see page 221



Zenuno15 55 I-F BBR



Zenuno15 55 I-F BBL
Shown with waste tidy, see page 221







"A popular 1.5 bowl inset with a 15mm internal radius"

Image shown ZENDUO15 6 I-F BBL

SINK Model ZENDUO15 6 I-F BBL **SINK Model ZENDUO15 6 I-F BBR**

1810 Code ZD/6/IF/U15/S/BBL/155 1810 Code ZD/6/IF/U15/S/BBR/154

- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🖗



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221



Zenduo15 6 I-F BBR



Zenduo15 6 I-F BBL








Image shown **ZENDUO15 34/34 I-F BBL**

SINK Model ZENDUO15 34/34 I-F BBL SINK Model ZENDUO15 34/34 I-F BBR

1810 Code ZD/3434/IF/U15/S/BBL/158 1810 Code ZD/3434/IF/U15/S/BBR/159

- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🖗



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included


Minimum cabinet size: 800mm For accessories see page 221




Zenduo15 34/34 I-F BBR



Zenduo15 34/34 I-F BBL Shown with waste tidy, see page 221











SINK Model ZENUNO15 550U XXL DEEP

1810 Code ZU/55/U15/D/S/XXL/501

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🚱




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221





Shown with waste tidy, see page 221



Check worktop size before ordering, sink does not fit in a standard 600mm worktop







SINK Model ZENUNO15 750U XXL DEEP

1810 Code ZU/75/U15/D/S/XXL/502

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🚱




- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 900mm For accessories see page 221





Shown with waste tidy, see page 221



Check worktop size before ordering, sink does not fit in a standard 600mm worktop



Image shown ZENDUO15 550/340U XXL DEEP BBL

SINK Model ZENDUO15 550/340U XXL DEEP BBL SINK Model ZENDUO15 340/550U XXL DEEP BBR 1810 Code ZD/5534/U15/D/S/XXL/503 1810 Code ZD/3455/U15/D/S/XXL/504

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🖗



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included


Minimum cabinet size: 1000mm For accessories see page 221



Zenduo15 340/550U XXL DEEP BBR



Zenduo15 550/340U XXL DEEP BBL Shown with waste tidy, see page 221



Check worktop size before ordering, sink does not fit in a standard 600mm worktop








SINK Model ZENUNO15 600U BELFAST

1810 Code ZU/600/15/BEL/S/860

- Handmade
- Satin finish
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included










Because the kitchen is the heart of the home

- Prepare
- Cook
- Serve
- Entertain
- Clean





SINK Model ZENUNO10 400 OPTIONS

1810 Code ZUO/40/U10/S/180

- 10mm radius handmade undermount bowl
- Can also be flush mount and inset
- Satin finish
- 3½" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Additional accessories can be purchased seperately. See pages 95 - 96

We recommend leaving a reveal of 420mm to ensure maximum stability of the accessory. If the sink is installed without a reveal the accessory will sit on the worksurface.


Minimum cabinet size: 500mm Includes 1 x Band B accessory





Shown with waste tidy, see page 221





Spacers are provided to enable all accessories to be used on both upper and lower tier.



Please follow installation instructions provided to ensure compatibility of accessories

SINK Model ZENUNO10 800 OPTIONS

1810 Code ZUO/80/U10/S/181

- 10mm radius handmade undermount bowl
- Can also be flush mount and inset
- Satin finish
- 3½" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Additional accessories can be purchased seperately. See pages 95 - 96

We recommend leaving a reveal of 420mm to ensure maximum stability of the accessory. If the sink is installed without a reveal the accessory will sit on the worksurface.


Minimum cabinet size: 900mm Includes 1 x Band B accessory





Shown with waste tidy, see page 221







Please follow installation instructions provided to ensure compatibility of accessories

SINK Model ZENDUO10 1100 OPTIONS

1810 Code ZDO/1100/U10/S/REV/182

- 10mm radius handmade undermount bowl
- Can also be flush mount and inset
- Satin finish
- 3½" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Additional accessories can be purchased seperately. See pages 95 - 96

We recommend leaving a reveal of 420mm to ensure maximum stability of the accessory. If the sink is installed without a reveal the accessory will sit on the worksurface.


Minimum cabinet size: 1200mm


Includes 1 x Band A and 1 x Band B accessory





Shown with waste tidy, see page 221







Please follow installation instructions provided to ensure compatibility of accessories

SINK Model ZENUNO10 700 OPTIONS

1810 Code ZUO/700/U10/S/REV/183

- 10mm radius handmade undermount bowl
- Can also be flush mount and inset
- Satin finish
- 3½" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Additional accessories can be purchased seperately. See pages 95 - 96

We recommend leaving a reveal of 420mm to ensure maximum stability of the accessory. If the sink is installed without a reveal the accessory will sit on the worksurface.


Minimum cabinet size: 800mm


Includes 1 x Band A and 1 x Band B accessory





Shown with waste tidy, see page 221







SINK Model ZEN10 OPTIONS ACCESSORIES - BAND A


Band A -


Colander holder including colander and bowl AC-ZENOPT-COL


Chopping board AC-ZENOPT-CB

Large garnish board including 6 pots AC-ZENOPT-GB-LG

The natural bamboo accessories have been treated with wood wax and are therefore suitable for kitchen use.









SINK Model ZEN10 OPTIONS ACCESSORIES - BAND B

Band B -


Medium garnish board including 3 pots AC-ZENOPT-GB-MD

Small garnish board including 2 pots AC-ZENOPT-GB-SM

Drainer with bars 280mm AC-ZENOPT-DR-LG

Drainer with bars 180mm AC-ZENOPT-DR-SM

The natural bamboo accessories have been treated with wood wax and are therefore suitable for kitchen use.









Tap suitable for accessible kitchens available – see page 172

FIN/01/CH/HANDLE FIN/02/BS/HANDLE FIN/04/COP/HANDLE FIN/05/GM/HANDLE FIN/06/GB/HANDLE FIN/07/MB/HANDLE FIN/08/BGB/HANDLE

SINK Model ZENUNO15 34 I-F ACCESSIBLE BBL/BBR

1810 Code ZU/34/IF/U15/S/BBL/160 1810 Code ZU/34/IF/U15/S/BBR/161

- Inset bowl which can be flushfit or undermounted
- Shallower bowl to allow access
- Additional insulation on bottom of bowl to prevent heat transfer
- 3½" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Alternative sink and drainer sizes and bowl depth are available through our Bespoke service

Minimum cabinet size: 450mm For accessories see page 221



Zenuno15 34 I-F Accessible BBR



Zenuno15 34 I-F Accessible BBL

Shown with waste tidy, see page 221



Accessible handle available in all colour options FIN/01/CH/HANDLE, FIN/02/BS/HANDLE, FIN/04/COP/HANDLE, FIN/05/GM/HANDLE, FIN/06/GB/HANDLE, FIN/07/MB/HANDLE, FIN/08/BGB/HANDLE,

8/BGB/HANDLE,










Image shown ACCESSORY TROUGH 900 - COPPER

Accessories available in stainless steel, copper, gunmetal and gold brass

TROUGH Model ACCESSORY TROUGH 900

1810 Code AC-CHAN/900/S/201 1810 Code AC-CHAN/900/COP/203 1810 Code AC-CHAN/900/GM/205 1810 Code AC-CHAN/900/GB/207

- Handmade undermount trough
- Can also be flushfit or inset
- Steel thickness 1.2mm
- Can be plumbed in (waste kit included)
- Accommodates 3 x accessories
- L 940mm W 200mm H 200mm

For accessories see page 100

Stainless Steel

Copper

Gunmetal

Gold Brass














Image shown
ACCESSORY TROUGH 1200 - GUNMETAL

Accessories available in stainless steel, copper, gunmetal and gold brass

TROUGH Model ACCESSORY TROUGH 1200

1810 Code AC-CHAN/1200/S/202 1810 Code AC-CHAN/1200/COP/204 1810 Code AC-CHAN/1200/GM/206 1810 Code AC-CHAN/1200/GB/208

- Handmade undermount trough
- Can also be flushfit or inset
- Steel thickness 1.2mm
- Can be plumbed in (waste kit included)
- Accommodates 4 x accessories
- L 1240 mm W200mm H 200mm

Stainless Steel

Copper

Gunmetal


Gold Brass















AC-CHAN-PACK 1 - STAINLESS STEEL

Glass Drainer Colander Dish Rack

AC-CHAN-PACK2 - STAINLESS STEEL

Chopping Board Holder Chopping Boards X 3

AC-CHAN-PACK3

Knife Block (Knives not included)

ACCESSORIES

1810 Code AC-CHAN-PACK 1 / 2 / 3


AC-CHAN-PACK 1 - COPPER

Glass Drainer Colander Dish Rack



AC-CHAN-PACK 1 - GUNMETAL

Glass Drainer Colander Dish Rack



AC-CHAN-PACK 1 - GOLD BRASS


Colander



Glass Drainer

■ Manufactured from 1.2mm thick stainless steel

Dish Rack



AC-CHAN-PACK 2-COPPER

Chopping Board Holder Sapele Chopping Boards x 3



AC-CHAN-PACK 2-GUNMETAL

Chopping Board Holder Sapele Chopping Boards x 3



AC-CHAN-PACK 2-GOLD BRASS

Chopping Board Holder Sapele Chopping Boards x 3



- from 1.2mm thick stainless steel
- Sapele wood chopping boards









SINK Model LUXSOPLUSUNO25 160U

1810 Code LPU/16/U25/S/350

- Undermount bowl
- Satin finish
- Insusound[®] 🚱




- 3½" basket strainer waste included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 300mm For accessories see page 221













SINK Model LUXSOPLUSUNO25 180U

1810 Code LPU/18/U25/S/351

- Undermount bowl
- Satin finish
- Insusound[®] 🚱





- 3½" basket strainer waste included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 300mm For accessories see page 221













SINK Model LUXSOPLUSUNO25 340U

1810 Code LPU/34/U25/S/352

- Undermount bowl
- Satin finish
- Insusound[®] 🚱




- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 400mm For accessories see page 221













SINK Model LUXSOPLUSUNO25 450U

1810 Code LPU/45/U25/S/353

- Undermount bowl
- Satin finish
- Insusound[®] 🚱




- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 500mm For accessories see page 221











SINK Model LUXSOPLUSUNO25 500U

1810 Code LPU/50/U25/S/354

- Undermount bowl
- Satin finish
- Insusound[®] 🚱




- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 600mm For accessories see page 221









SINK Model LUXSOPLUSUNO25 700U

1810 Code LPU/70/U25/S/355

- Undermount bowl
- Satin finish
- Insusound[®] 🖗




- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template


Minimum cabinet size: 800mm For accessories see page 221














SINK Model LUXSOPLUSDUO25 340/160U BBL SINK Model LUXSOPLUSDUO25 160/340U BBR

1810 Code LPD/3416/U25/S/BBL/357 1810 Code LPD/1634/U25/S/BBR/356

- Undermount bowl
- Satin finish
- Insusound[®] 🖗





- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template


Minimum cabinet size: 600mm For accessories see page 221



LUXSOPLUSDUO25 160/340 BBR



LUXSOPLUSDUO25 340/160 BBL









Image shown LUXSOPLUSDUO25 340/180U BBL

SINK Model LUXSOPLUSDUO25 340/180U BBL SINK Model LUXSOPLUSDUO25 180/340U BBR

1810 Code LPD/3418/U25/S/BBL/359 1810 Code LPD/1834/U25/S/BBR/358

- Undermount bowl
- Satin finish
- Insusound[®]





- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template


Minimum cabinet size: 600mm For accessories see pages 214 & 215



LUXSOPLUSDUO25 180/340U BBR



LUXSOPLUSDUO25 340/180U BBL









Image shown LUXSOPLUSDUO25 500/180 BBL

SINK Model LUXSOPLUSDUO25 500/180U BBL SINK Model LUXSOPLUSDUO25 180/500U BBR

1810 Code LPD/5018/U25/S/BBL/361 1810 Code LPD/1850/U25/S/BBR/360

- Undermount bowl
- Satin finish
- Insusound[®] 👰





- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template


Minimum cabinet size: 800mm For accessories see page 221




LUXSOPLUSDUO25 180/500U BBR



LUXSOPLUSDUO25 500/180U BBL Shown with waste tidy, see page 221






SINK Model LUXSOPLUSDUO25 340/340U

1810 Code LPD/3434/U25/S/362

- Undermount bowl
- Satin finish
- Insusound[®] 🚱







- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 800mm For accessories see page 221












SINK Model LUXSOPLUSDUO25 450/450U

1810 Code LPD/4545/U25/S/363

- Undermount bowl
- Satin finish
- Insusound[®] 🖗






- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 1000mm For accessories see page 221









12



EU/17/U/MS/034



SINK Model ETROUNO 170U

1810 Code EU/17/U/MS/034


- Undermount bowl
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included













SINK Model ETROUNO 340U

1810 Code EU/34/U/MS/035

- Undermount bowl
- Satin finish

12


- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included















SINK Model ETROUNO 400U

1810 Code EU/40/U/MS/036


- Undermount bowl
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included








Shown with waste tidy, see page 221







SINK Model ETROUNO 550U

1810 Code EU/55/U/MS/037

- Undermount bowl
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included







Shown with waste tidy, see page 221








Image shown ETRODUO 589/450 BBL

SINK Model ETRODUO 589/450U options — REV / BBL / BBR

1810 Code ED/5845/U/MS/ REV/031 / BBL/032 / BBR/033

- Undermount bowl
- Satin finish
- 3½" basket strainer waste
- and overflow included


 Individually boxed
- Steel thickness 1.2mm
- Steel trilekiless 1.2min
- Maximiser plumbing kit included
- Minimum cabinet size: 600mm For accessories see page 221



Etroduo 589/450U REV



Etroduo 589/450U BBR Shown with waste tidy, see page 221





"The 589's big brother. If you have an 800mm sink base or bigger, go for it!"

Image shown **ETRODUO 781/450U BBL**

SINK MODEL ETRODUO 781/450U BBL **SINK MODEL ETRODUO 450/781U BBR**

1810 Code ED/7845/U/MS/BBL/100 1810 Code ED/4578/U/MS/BBR/101

- Undermount bowl
- Satin finish
- Insusound[®]



- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221



Etroduo 450/781U BBB



Etroduo 781/450U BBL








Image shown ETRODUO 535/191U BBL

SINK MODEL ETRODUO 535/191U BBL SINK MODEL ETRODUO 191/535U BBR

1810 Code ED/5319/U/MS/BBL/103 1810 Code ED/1953/U/MS/BBR/104

- Undermount bowl
- Satin finish
- Insusound[®] ⊗
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included


Minimum cabinet size: 900mm For accessories see page 221



Etroduo 191/535U BBR



Etroduo 535/191U BBL









⁶⁶A versatile double bowl that fits into an 800mm unit⁷⁷

SINK Model ETRODUO 340/340U

1810 Code ED/3434/U/MS/105


- Undermount bowl
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221














"3 bowls, a practical sink when you don't always want to use your dishwasher!"

SINK Model ETROTRIO 960/450U


1810 Code ET/9645/U/MS/102


- Undermount bowl
- Satin finish
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included













SINK Model RAZORUNO10 5 I-F BBL SINK Model RAZORUNO10 5 I-F BBR

1810 Code RU/5/IF/U10/S/BBL/250 1810 Code RU/5/IF/U10/S/BBR/251

- Handmade inset bowl
- Razor edge profile
- Satin finish
- Insusound
- 3½" Basker strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Top deck 3.5mm tapered edges
- No tap brace required when using high neck taps
- Bowl 1.2mm thick stainless steel


Minimum cabinet size: 500mm

For accessories see page 221





Razoruno10 5 I-F BBR







SINK Model RAZORUNO10 55 I-F BBL **SINK Model RAZORUNO10 55 I-F BBR**

1810 Code RU/55/IF/U10/S/BBL/252 1810 Code RU/55/IF/U10/S/BBR/253

- Handmade inset bowl
- Razor edge profile
- Satin finish
- Insusound
- 3½" Basker strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Top deck 3.5mm tapered edges
- No tap brace required when using high neck taps
- Bowl 1.2mm thick stainless steel

Minimum cabinet size: 600mm

For accessories see page 221




Razoruno10 55 I-F BBL



Razoruno10 55 I-F BBR







SINK Model RAZORDUO10 6 I-F BBL SINK Model RAZORDUO10 6 I-F BBR

1810 Code RD/6/IF/U10/S/BBL/254 1810 Code RD/6/IF/U10/S/BBR/255

- Handmade inset bowl
- Razor edge profile
- Satin finish
- Insusound
- 3½" Basker strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Top deck 3.5mm tapered edges
- No tap brace required when using high neck taps
- Bowl 1.2mm thick stainless steel

Minimum cabinet size: 600mm

For accessories see page 221



Razorduo10 6 I-F BBL



Razorduo10 6 I-F BBR








Image shown **FORZAUNO 800i BBL**

SINK MODEL FORZAUNO 800i BBL **SINK MODEL FORZAUNO 800i BBR**

1810 Code FU/80/I/S/BBL/401 1810 Code FU/80/I/S/BBR/402


- Handmade bowl welded to a pressed top frame
- Inset installation
- Insusound[®]
- Satin finish
- Steel thickness 1.2mm
- 31/2" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Template included

Minimum cabinet size: 500mm For accessories see page 221



Forzauno 800i BBL







SINK MODEL FORZAUNO 100i LARGE BBL SINK MODEL FORZAUNO 100i LARGE BBR

1810 Code FU/100/I/S/BBL/LGE/403 1810 Code FU/100/I/S/BBR/LGE/404

- Handmade bowl welded to a pressed top frame
- Inset installation
- Insusound[®]
- Satin finish
- Steel thickness 1.2mm
- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Template included

Minimum cabinet size: 600mm For accessories see page 221




Forzauno 100i Large BBL



Forzauno 100i Large BBR

Shown with waste tidy, see page 221



FORZAUNO 100i LARGE BBL





Image shown **FORZADUO 150i BBL**

SINK MODEL FORZADUO 150i BBL **SINK MODEL FORZADUO 150i BBR**

1810 Code FD/150/I/S/BBL/405 1810 Code FD/150/I/S/BBR/406

- Handmade bowl welded to a pressed top frame
- Inset installation
- Insusound[®]
- Satin finish
- Steel thickness 1.2mm
- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Template included

Minimum cabinet size: 600mm For accessories see page 221



Forzaduo 150i BBL



Forzaduo 150i BBR








Image shown BORDOUNO 800i BBL

SINK Model BORDOUNO 800i BBL SINK Model BORDOUNO 800i BBR

1810 Code BU/80/I/S/BBL/420 1810 Code BU/80/I/S/BBR/421

- Pressed bowl welded to a top frame
- Inset installation
- Satin finish
- Steel thickness 1mm
- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Template included


Minimum cabinet size: 500mm For accessories see page 221



Bordouno 800i BBL



Bordouno 800i BBR








Image shown BORDOUNO 100i LARGE BBL

SINK Model BORDOUNO 100i LARGE BBL SINK Model BORDOUNO 100i LARGE BBR

1810 Code BU/100/I/S/BBL/LGE/422 1810 Code BU/100/I/S/BBR/LGE/423

- Pressed bowl welded to a top frame
- Inset installation
- Insusound® 🚳
- Satin finish
- Steel thickness 1mm
- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Template included


Minimum cabinet size: 800mm For accessories see page 221



Bordouno 100i LARGE BBL



Bordouno 100i LARGE BBR








Image shown BORDODUO 150i BBL

SINK Model BORDODUO 150i BBL SINK Model BORDODUO 150i BBR

1810 Code BD/150/I/S/BBL/424 1810 Code BD/150/I/S/BBR/425

- Pressed bowl welded to a top frame
- Inset installation
- Satin finish
- Steel thickness 1mm
- 3½" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Template included

Minimum cabinet size: 600mm For accessories see page 221





Bordoduo 150i BBL



Bordoduo 150i BBR

Shown with waste tidy, see page 221





This sink is not suitable for use with a square based tap due to the rounded tap platform







SINK Model VELOREUNO 860i


1810 Code VU/86/I/P/REV/047

- Inset bowl and drainer
- Satin finish
- 3½" basket strainer waste and overflow included
- Fixing kit
- Individually boxed
- Single piece construction
- Steel thickness 0.8mm
- Maximiser plumbing kit included

Minimum cabinet size: 500mm For accessories see page 221











SINK Model VELOREUNO 100i LARGE


1810 Code VU/100/I/P/REV/LGE/050


- Inset bowl and drainer
- Satin finish
- 3½" basket strainer waste and overflow included
- Fixing kit
- Individually boxed
- Single piece construction
- Steel thickness 0.8mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221









Our value sink 0.8mm thick steel and all you need in the box "

SINK Model VELOREDUO 100i

1810 Code VD/100/I/P/REV/048

- Inset bowl and drainer
- Satin finish
- 3½" basket strainer waste and overflow included
- Fixing kit
- Individually boxed
- Single piece construction
- Steel thickness 0.8mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221


























Image shown
Metallic Grey

SINK Model BLADEUNO 860i

1810 Code

BLU/86/I/PQ/REV/BL/900 (Metallic Black) BLU/86/I/PQ/REV/CH/901 (Champagne) BLU/86/I/PQ/REV/CO/902 (Concrete) BLU/86/I/PQ/REV/GR/903 (Metallic Grey) BLU/86/I/PQ/REV/MO/904 (Mocha) BLU/86/I/PQ/REV/WH/905 (Polar White)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 450mm

For accessories see page 221










Image shown Polar White



SINK Model BLADEUNO 100i LARGE

1810 Code

BLU/100/I/PQ/REV/LGE/BL/910 (Metallic Black)
BLU/100/I/PQ/REV/LGE/CH/911 (Champagne)
BLU/100/I/PQ/REV/LGE/CO/912 (Concrete)
BLU/100/I/PQ/REV/LGE/GR/913 (Metallic Grey)
BLU/100/I/PQ/REV/LGE/MO/914 (Mocha)
BLU/100/I/PQ/REV/LGE/WH/915 (Polar White)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm

For accessories see page 221








Image shown Concrete



SINK Model BLADEDUO 150i


1810 Code

BLD/150/I/PQ/REV/BL/920 (Metallic Black) BLD/150/I/PQ/REV/CH/921 (Champagne) BLD/150/I/PQ/REV/CO/922 (Concrete) BLD/150/I/PQ/REV/GR/923 (Metallic Grey) BLD/150/I/PQ/REV/MO/924 (Mocha) BLD/150/I/PQ/REV/WH/925 (Polar White)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm

For accessories see page 221







SINK Model SHARDDUO 615i

1810 Code

SD/615/I/PQ/REV/BL/800 (Metallic Black) SD/615/I/PQ/REV/WH/801 (Polar White) SD/615/I/PQ/REV/GR/802 (Metallic Grey) SD/615/I/PQ/REV/CH/803 (Champagne) SD/615/I/PQ/REV/MO/804 (Mocha) SD/615/I/PQ/REV/CO/805 (Concrete)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm

For accessories see page 221





Shown with waste tidy, see page 221




Image shown Metallic Grey





















SINK Model SHARDUNO 100i Large

1810 Code

SU/100/I/PQ/REV/BL/810 (Metallic Black) SU/100/I/PQ/REV/WH/811 (Polar White) SU/100/I/PQ/REV/GR/812 (Metallic Grey) SU/100/I/PQ/REV/CH/813 (Champagne) SU/100/I/PQ/REV/MO/814 (Mocha) SU/100/I/PQ/REV/CO/815 (Concrete)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221


Minimum cabinet size: 600mm

For accessories see page 221





Shown with waste tidy, see page 221





















SINK Model SHARDDUO 150i

1810 Code

SD/150/I/PQ/REV/BL/820 (Metallic Black) SD/150/I/PQ/REV/WH/821 (Polar White) SD/150/I/PQ/REV/GR/822 (Metallic Grey) SD/150/I/PQ/REV/CH/823 (Champagne) SD/150/I/PQ/REV/MO/824 (Mocha) SD/150/I/PQ/REV/CO/825 (Concrete)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm

For accessories see page 221





Shown with waste tidy, see page 221














Image shown
Metallic Black

SINK Model DELTAUNO 860i


1810 Code

DU/86/I/PQ/REV/WH/622 (Alpine White) DU/86/I/PQ/REV/BL/620 (Metallic Black) DU/86/I/PQ/REV/GR/621 (Metallic Grey)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Reversible
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 500mm







SINK Model DELTAUNO 100i Large

1810 Code


DU/100/I/PQ/REV/WH/632 (Alpine White) DU/100/I/PQ/REV/BL/630 (Metallic Black) DU/100/I/PQ/REV/GR/631 (Metallic Grey)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Reversible
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm

For accessories see page 221





Metallic Grey









Image shown
Alpine White

SINK Model DELTADUO 150i

1810 Code

DD/150/I/PQ/REV/BL/640 (Metallic Black) DD/150/I/PQ/REV/GR/641 (Metallic Grey) DD/150/I/PQ/REV/WH/642 (Alpine White)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Reversible
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm

For accessories see page 221



Metallic Grey






















Image shown Champagne

SINK Model CAVAUNO 469U

1810 Code

CU/46/U/PQ/BL/700 (Metallic Black) CU/46/U/PQ/WH/701 (Polar White) CU/46/U/PQ/GR/702 (Metallic Grey) CU/46/U/PQ/CH/703 (Champagne) CU/46/U/PQ/MO/704 (Mocha) CU/46/U/PQ/CO/705 (Concrete)

- Undermount / Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221


Minimum cabinet size: 600mm



























SINK Model CAVAUNO 720U

1810 Code

CU/72/U/PQ/BL/710 (Metallic Black) CU/72/U/PQ/WH/711 (Polar White) CU/72/U/PQ/GR/712 (Metallic Grey) CU/72/U/PQ/CH/713 (Champagne) CU/72/U/PQ/MO/714 (Mocha) CU/72/U/PQ/CO/715 (Concrete)

- Undermount Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 800mm

For accessories see page 221





Shown with waste tidy, see page 221




















Image shown Mocha

SINK Model CAVADUO 335/155U

1810 Code

CD/3315/U/PQ/REV/BL/720 (Metallic Black) CD/3315/U/PQ/REV/WH/721 (Polar White) CD/3315/U/PQ/REV/GR/722 (Metallic Grey) CD/3315/U/PQ/REV/CH/723 (Champagne) CD/3315/U/PQ/REV/MO/724 (Mocha) CD/3315/U/PQ/REV/CO/725 (Concrete)


- Undermount / Inset Purquartz bowl
- Fixings included
- Matte finish
- 3½" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm















SINK Model ARGILLA FIRECLAY 250

1810 Code FCU/250/WH/851

- White fireclay bowl
- Suitable for top or undermount installation
- Hygienic
- Non-porous
- Chemical resistant
- **Extremely hardwearing**
- Tolerances: +/- 2% of dimensions
- Wastes not included
- Heat resistant to 1600°C
- G Clip installation recommended




- Basket strainer waste complete with overflow available in stainless steel, copper, gunmetal and gold brass
- Basket strainer waste kits must be ordered separately

Minimum cabinet size: 300mm

For accessories see page 221







PLEASE NOTE: A DXF is not available, sink should be used as template. When undermounting, a minimum gap of 4mm must be left between the sink and the worktop.





SINK Model ARGILLA FIRECLAY 450

1810 Code FCU/450/WH/852

- White fireclay bowl
- Suitable for top or undermount installation
- Hygienic
- Non-porous
- Chemical resistant
- Extremely hardwearing
- Tolerances: +/- 2% of dimensions
- Wastes not included
- Heat resistant to 1600°C
- G Clip installation recommended




- Basket strainer waste complete with overflow available in stainless steel, copper, gunmetal and gold brass
- Basket strainer waste kits must be ordered separately

Minimum cabinet size: 500mm







PLEASE NOTE: A DXF is not available, sink should be used as template. When undermounting, a minimum gap of 4mm must be left between the sink and the worktop.






SINK Model ARGILLA FIRECLAY 800

1810 Code FCD/800/WH/853

- White fireclay double bowl
- Sit-on installation
- Hygienic
- Non-porous
- Chemical resistant
- Extremely hardwearing
- Tolerances: +/- 2% of dimensions
- Wastes not included
- Heat resistant to 1600°C
- Basket strainer waste complete with overflow available in stainless steel, copper, gunmetal and gold brass
- Basket strainer waste kits must be ordered separately







PLEASE NOTE: A DXF is not available, sink should be used as template.








SINK Model ARGILLA FIRECLAY BELFAST 595 1810 Code FCU/595/BEL/WH/850


- White fireclay Belfast sink
- Sit-on installation
- Weir overflow
- Hygienic
- Non-porous
- Chemical resistant
- Extremely hardwearing
- Tolerances: +/- 2% of dimensions
- Wastes not included
- Heat resistant to 1600°C
- Reversible
- Basket strainer waste complete with overflow available in stainless steel, copper, gunmetal and gold brass
- Basket strainer waste kits must be ordered separately








PLEASE NOTE: A DXF is not available, sink should be used as template.





16

CERAMICA **PURO**





Available in **BBR ONLY**

SINK Model ETRODUO 343/136UC

1810 Code ED/3413/U/C/091-WH


- Undermount ceramic bowl
- Heat resistant to 1200°C
- Hygienic
- Non Porous
- Ultra smooth white surface
- Chemical resistant, inc neat bleach
- Extremely hardwearing
- Individually boxed
- 3½" basket strainer waste and overflow included
- G Clip installation recommended
- Maximiser plumbing kit included
- Copper or gold effect basket strainer waste complete with overflow also available - see page 221



For accessories see page 221







PLEASE NOTE: A DXF is not available, sink should be used as template. When installing, a minimum gap of 4mm must be left between the sink and the worktop.









Image shown FON/01/CH


TAP MODEL FONTAINE SINGLE LEVER

1810 Code

FON/01/CH

Finished in chrome

- **■** WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar









NEOPERL AERATOR



Image shown COU/01/CH

TAP MODEL COURBE CURVED SPOUT

1810 Code COU/01/CH Finished in chrome

1810 Code COU/02/BS Finished in brushed steel

1810 Code COU/04/COP

Finished in copper 1810 Code COU/05/GM

Finished in gunmetal 1810 Code COU/06/GB

Finished in gold brass

1810 Code COU/07/MB Finished in matte black

1810 Code COU/08/BGB Finished in brushed gold brass

- **■** WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Also available COU/02/BS



Also available COU/04/COP





Also available COU/06/GB




Also available COU/07/MB



Also available COU/05/GM



Also available COU/08/BGB



Suggested tap hole cutting size: ø35







NEOPERL AERATOR



Image shown CAS/01/CH

TAP MODEL CASCATA SQUARE SPOUT

1810 Code

CAS/01/CH

Finished in chrome

CAS/02/BS

Finished in brushed steel

CAS/07/MB

Finished in matte black

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar










Image shown PLU/01/CH

TAP MODEL PLUIE ANGLED SPOUT

1810 Code

PLU/01/CH

Finished in chrome

1810 Code


PLU/02/BS

Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available PLU/02/BS









NEOPERL AERATOR



Image shown DAV/01/CH

Pull-out version available please see page 169

TAP MODEL DAVANTI SINGLE LEVER

1810 Code

DAV/01/CH

Finished in chrome


1810 Code

DAV/02/BS

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available DAV/02/BS



Suggested tap hole cutting size: ø35







NEOPERL AERATOR



Image shown CUR/01/CH

TAP MODEL CURVATO SLIM LEVER CURVED SPOUT

1810 Code

CUR/01/CH

Finished in chrome


1810 Code

CUR/02/BS

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar







Suggested tap hole cutting size: ø35







NEOPERL AERATOR



Image shown RUS/01/CH

TAP MODEL RUSCELLO SQUARE BODY SLIM LEVER

1810 Code

RUS/01/CH

Finished in chrome


1810 Code

RUS/02/BS

- **■** WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available RUS/02/BS



Suggested tap hole cutting size: ø35







NEOPERL AERATOR



Image shown SEN/01/CH

TAP MODEL 1810 XXX SINGLE LEVER

1810 Code

SEN/01/CH

Finished in chrome

1810 Code


SEN/02/BS

Finished in brushed steel

- **■** WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available SEN/02/BS









NEOPERL AERATOR



Image shown PEN/01/CH

TAP MODEL PENDENZA ANGLE SPOUT

1810 Code

PEN/01/CH

Finished in chrome

1810 Code


PEN/02/BS

Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available PEN/02/BS









NEOPERL AERATOR

Image shown DAV-P/01/CH

TAP MODEL DAVANTI PULL OUT SPRAY

1810 Code

DAV-P/01/CH

Finished in chrome


1810 Code

DAV-P/02/BS

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available DAV-P/02/BS



Suggested tap hole cutting size: ø35







NEOPERL AERATOR

Image shown GRA/01/CH

TAP MODEL GRANDE PULL OUT SPRAY

1810 Code

GRA/01/CH

Finished in chrome


1810 Code

GRA/02/BS

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available GRA/02/BS



Suggested tap hole cutting size: ø35







NEOPERL AERATOR



Image shown VER/01/CH

TAP MODEL VERSARE SQUARE DESIGN

1810 Code

VER/01/CH

Finished in chrome

1810 Code


VER/02/BS

Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available VER/02/BS









NEOPERL AERATOR





Image shown FIN/01/CH

TAP MODEL FINIRE KNURLED TWO HOLE

1810 Code

FIN/01/CH

Finished in chrome

FIN/02/BS

Finished in brushed steel

FIN/04/COP

Finished in copper

FIN/05/GM

Finished in gunmetal

FIN/06/GB

Finished in gold brass

FIN/07/MB

Finished in matte black

FIN/08/BGB

Finished in brushed gold brass

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar











FIN/02/BS

Also available FIN/04/COP

Also available

Also available FIN/05/GM

Also available FIN/06/GB






Also available

FIN/07/MB



Also available FIN/08/BGB



Suggested tap hole cutting size: ø35, ø28







Image shown AER/01/CH

TAP MODEL AERO 3 HOLE TAP DESIGN

1810 Code AER/01/CH Finished in chrome

1810 Code AER/02/BS Finished in brushed steel

1810 Code AER/04/COP Finished in copper

1810 Code AER/05/GM Finished in gunmetal

1810 Code AER/06/GB Finished in gold brass

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar








Also available AER/04/COP



Also available AER/05/GM



Also available AER/06/GB











NEOPERL AERATOR



Includes handspray

Image shown NOV/01/CH

TAP MODEL NOVANTA 4 HOLE DESIGN

1810 Code

NOV/01/CH

Finished in chrome

1810 Code


NOV/02/BS

Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Also available NOV/02/BS









NEOPERL AERATOR

Image shown SPI-SPR/01/CH

TAP Model SPIRALE SPRING

1810 Code

SPI-SPR/01/CH

Finished in chrome

SPI-SPR/02/BS

Finished in brushed steel

SPI-SPR/04/COP

Finished in copper

SPI-SPR/05/GM

Finished in gunmetal

SPI-SPR/06/GB

Finished in gold brass

SPI-SPR/07/MB

Finished in matte black

SPI-SPR/08/BGB

Finished in brushed gold brass

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available

SPI-SPR/06/GB








Also available SPI-SPR/07/MB



Also available SPI-SPR/05/GM



Also available SPI-SPR/08/BGB



Suggested tap hole cutting size: ø35







NEOPERL AERATOR





Image shown SPI-KNR/05/GM

Spirale Knurled Hose Colours

Red Black Denim Blue Concrete Hot Pink Indigo Lime Mocha Pastel Blue Pastel Green Pastel Pink	Yellow	Orange	Wine	Mid Blue	White	Choco	late	Light grey	Latte	Green	Anthracite
	Red	Black	Denim Blue	Concrete	Hot Pink	Indigo	Lime	Mocha	Pastel Blue	Pastel Green	

TAP Model SPIRALE FLEXIBLE SPOUT - KNURLED

1810 Code

SPI-KNR/01/CH

Finished in chrome

SPI-KNR/02/BS

Finished in brushed steel

SPI-KNR/04/COP

Finished in copper

SPI-KNR/05/GM

Finished in gunmetal

SPI-KNR/06/GB

Finished in gold brass

SPI-KNR/07/MB

Finished in matte black

SPI-KNR/08/BGB

Finished in brushed gold brass

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar
- Tap includes hose colour of your choice



Also available

SPI-KNR/07/MB



SPI-KNR/08/BGB











NEOPERL AERATOR

Image shown SPI/01/CH

Unless an alternative hose colour is specified at time of order, the Spirale tap will be supplied with a black hose.

TAP MODEL SPIRALE FLEXIBLE SPOUT

1810 Code

SPI/01/CH

Finished in chrome

Finished in brushed steel

SPI/04/COP

Finished in copper

SPI/05/GM

Finished in gunmetal

SPI/06/GB

Finished in gold brass

SPI/07/MB

Finished in matte black

SPI/08/BGB

Finished in brushed gold brass

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar
- Tap includes hose colour of your choice









SPI/05/GM



SPI/06/GB




Also available SPI/07/MB



SPI/08/BGB



Suggested tap hole cutting size: ø35



YELLOW

AC-HOS-YE

WINE

AC-HOS-WI

INDIGO

AC-HOS-IN



PASTEL PINK AC-HOS-PP

ORANGE

AC-HOS-OR









NEOPERL AERATOR



Image shown SPR/01/CH

Suitable for use alongside all 1810 taps

TAP MODEL SPRUZZO COLD RINSE HAND SPRAY

1810 Code

SPR/01/CH

Finished in chrome

1810 Code

SPR/02/BS

Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available SPR/02/BS









NEOPERL AERATOR

Image shown CUR/01/CH/TRIO

TAP MODEL CURVATO TRIO WATER FILTER

1810 Code

CUR/01/CH/TRIO


Finished in chrome


CUR/02/BS/TRIO

Finished in brushed steel

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar













NEOPERL AERATOR



Image shown SEN/01/CH/PQ/BL

TAP MODEL 1810 XXX SINGLE LEVER

<u>purquartz</u> **effect**

1810 Code

SEN/01/CH/PQ-BL (Metallic Black) SEN/01/CH/PQ-WH (Polar White) SEN/01/CH/PQ-GR (Metallic Grey) SEN/01/CH/PQ-CH Champagne) SEN/01/CH/PQ-MO (Mocha) SEN/01/CH/PQ-CO (Concrete)














- **■** WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar











NEOPERL AERATOR



Image shown COU-DUO/01/CH/PQ-BL


TAP MODEL COURBE DUO BLACK

<u>purquartz</u> **effect**

1810 Code

COU-DUO/01/CH/PQ-BL (Black)

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Suggested tap hole cutting size: ø35







NEOPERL AERATOR



Image shown COU-DUO/01/CH/PQ-WH

TAP MODEL COURBE DUO WHITE


<u>purquartz</u> effect

1810 Code

COU-DUO/01/CH/PQ-WH (White)



- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Suggested tap hole cutting size: ø35







NEOPERL AERATOR



Image shown COU/01/CH/PQ/GR

TAP MODEL COURBE CURVED SPOUT - CHROME

PURQUARTZ EFFECT

1810 Code

COU/01/CH/PQ-BL (Metallic Black) COU/01/CH/PQ-WH (Polar White) COU/01/CH/PQ-GR (Metallic Grey) COU/01/CH/PQ-CH (Champagne) COU/01/CH/PQ-MO (Mocha) COU/01/CH/PQ-CO (Concrete)














- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Suggested tap hole cutting size: ø35







NEOPERL AERATOR



Image shown CAS/01/CH/PQ-CO

TAP MODEL CASCATA SQUARE SPOUT - CHROME OUTQUOITZ EFFECT

1810 Code

CAS/01/CH/PQ-BL (Metallic Black) CAS/01/CH/PQ-WH (Polar White) CAS/01/CH/PQ-GR (Metallic Grey) CAS/01/CH/PQ-CH (Champagne) CAS/01/CH/PQ-MO (Mocha) CAS/01/CH/PQ-CO (Concrete)














- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar









NEOPERL AERATOR



Image shown COU/04/COP/PQ/BL

TAP MODEL COURBE CURVED SPOUT - COPPER

<u>purquartz</u> effect

1810 Code

COU/04/COP/PQ-BL (Metallic Black) COU/04/COP/PQ-WH (Polar White) COU/04/COP/PQ-GR (Metallic Grey) COU/04/COP/PQ-CH (Champagne) COU/04/COP/PQ-MO (Mocha) COU/04/COP/PQ-CO (Concrete)














- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar









NEOPERL AERATOR



Image shown CAS/04/COP/PQ-WH

TAP MODEL CASCATA SQUARE SPOUT - COPPER

<u>purquartz</u> effect

1810 Code

CAS/04/COP/PQ-BL (Metallic Black) CAS/04/COP/PQ-WH (Polar White) CAS/04/COP/PQ-GR (Metallic Grey) CAS/04/COP/PQ-CH (Champagne) CAS/04/COP/PQ-MO (Mocha) CAS/04/COP/PQ-CO (Concrete)














- **■** WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar









NEOPERL AERATOR



Image shown COU/06/GB/PQ-CH

TAP MODEL COURBE CURVED SPOUT - GOLD BRASS OUTQUOITZ EFFECT

1810 Code

COU/06/GB/PQ-BL (Metallic Black) COU/06/GB/PQ-WH (Polar White) COU/06/GB/PQ-GR (Metallic Grey) COU/06/GB/PQ-CH (Champagne) COU/06/GB/PQ-MO (Mocha) COU/06/GB/PQ-CO (Concrete)














- **■** WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Suggested tap hole cutting size: ø35







NEOPERL AERATOR



Image shown CAS/06/GB/PQ-MO

TAP MODEL CASCATA SQUARE SPOUT - GOLD BRASS OUTQUOITZ EFFECT

1810 Code

CAS/06/GB/PQ-BL (Metallic Black) CAS/06/GB/PQ-WH (Polar White) CAS/06/GB/PQ-GR (Metallic Grey) CAS/06/GB/PQ-CH (Champagne) CAS/06/GB/PQ-MO (Mocha) CAS/06/GB/PQ-CO (Concrete)














- **■** WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar













NEOPERL AERATOR

Image shown ROD/01/CH

TAP MODEL RODEZ TWIN LEVER

1810 Code

ROD/01/CH (Chrome)
ROD/02/BS (Brushed Steel)

ROD/04/COP (Copper)

ROD/05/GM (Gunmetal)

ROD/06/GB (Gold Brass)

ROD/07/MB (Matte Black)

ROD/08/GB (Brushed Gold Brass)

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar
- Supplied with both black and white handles, as shown on page 156



Also available ROD/02/BS



Also available ROD/04/COP



Also available ROD/05/GM



Also available ROD/06/GB



Also available ROD/07/MB



Also available ROD/08/BGB



Also available

MOU/06/GB



TAP MODEL MOULINS CLASSIC BRIDGE MIXER

1810 Code MOU/01/CH (Chrome) MOU/02/BS (Brushed Steel) MOU/04/COP (Copper) MOU/05/GM (Gunmetal) MOU/06/GB (Gold Brass) Also available Also available Also available MOU/07/MB (Matte Black) MOU/02/BS MOU/04/COP MOU/05/GM MOU/08/BGB (Brushed Gold Brass) ■ Includes Neoperl Aerator and 1/2" flexible tails ■ Min operating pressure - 0.5 bar ■ Recommended operating pressure - 1 bar

Also available


MOU/07/MB

Also available

MOU/08/BGB

■ Supplied with both black and white handles, as shown on page 156







TAP MODEL HENRY HOLT COLLECTION SINGLE LEVER

HH-SL/06/GB



HH-SL/07/MB

HH-SL/08/BGB

cutting size: ø35



TAP MODEL HENRY HOLT COLLECTION TWIN LEVER









NEOPERL AERATOR



Red handles also included



Image shown HH-BM/01/CH

TAP MODEL HENRY HOLT COLLECTION BRIDGE MIXER

1810 Code

HH-BM/01/CH (Chrome)

HH-BM/02/BS (Brushed Steel)

HH-BM/04/COP (Copper)

HH-BM/05/GM (Gunmetal)

HH-BM/06/GB (Gold Brass)

HH-BM/07/MB (Matte Black)

HH-BM/08/BGB (Brushed Gold Brass)

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar



Also available HH-BM/02/BS



Also available HH-BM/04/COP



Also available HH-BM/05/GM




Also available HH-BM/06/GB



Also available HH-BM/07/MB



Also available HH-BM/08/BGB




Suggested tap hole cutting size: ø28mm leaving a distance between the holes of 203mm (centre to centre)



Image shown HH-WM/01/CH

TAP MODEL HENRY HOLT COLLECTION WALL MOUNTED












Image shown SOAP DISPENSER CHROME

MODEL INTEGRATED SOAP DISPENSER

1810 Code

AC-SOAP/01/CH (Chrome)

AC-SOAP/02/BS (Brushed Steel)

AC-SOAP/04/COP (Copper)

AC-SOAP/05/GM (Gunmetal)

AC-SOAP/06/GB (Gold Brass)

AC-SOAP/07/MB (Matte Black)

AC-SOAP/08/BGB (Brushed Gold Brass)

- Top fill
- Easy to install
- 350ml capacity
- Top quality solid brass construction
- Pump action
- 26mm 29mm cut out









Also available AC-SOAP/04/COP



Also available AC-SOAP/07/MB



Also available AC-SOAP/05/GM




Also available AC-SOAP/08/BGB



WASTE BIN Model WSB 30 LITRE

1810 Code WSB/30/3X10/099

- Conforms to the code for sustainable homes
- 4 Credits
- Min cabinet size 300mm
- Suitable to fit under a sink bowl
- Bin size 3 x 10ltr with colour coded handles
- Manual operation with soft close technology
- 2 year warranty




WASTE BIN MODEL - WSB 40 LITRE WSB/40/1X20-2X10/098





WASTE BIN Model WSB 40 LITRE


1810 Code WSB/40/1x20-2x10/098


- Conforms to the code for sustainable homes
- 4 Credits
- Min cabinet size 400mm
- Suitable to fit under a sink bowl
- Bin size 1 x 20ltr & 2 x 10ltr with colour coded handles
- Manual operation with soft close technology
- 2 year warranty
































SPIRALE ELEXIBLE SPOUT KNURLED



SPIRALE

Copper SPI/04/COP Gunmetal SPI/05/GM Gold Brass Matte Black SPI/07/MB Brushed Gold Brass

Chrome

SPR/01/CH

SPI/01/CH

Brushed Steel



Brushed Steel









Gunmetal

Gold Brass

Matte Black

SPI-KNR/07/MB


Brushed Gold Brass












p191









p198



CAS/04/COP/PQ-BL

CAS/04/COP/PQ-CH CAS/04/COP/PQ-GR CAS/04/COP/PQ-WH CAS/04/COP/PQ-CO CAS/04/COP/PQ-MO



COU/06/GB/PQ-BL COU/06/GB/PQ-CH COU/06/GB/PQ-GR COU/06/GB/PQ-WH COU/06/GB/PQ-MO



CAS/06/GB/PQ-BL CAS/06/GB/PQ-CH CAS/06/GB/PQ-GR CAS/06/GB/PQ-WH CAS/06/GB/PQ-CO CAS/06/GB/PQ-MO



ROD/01/CH ROD/05/GM ROD/08/BGB



MOU/05/GM MOU/06/GB MOU/01/CH MOU/08/BGB



HH-SL/05/GM





HH-TL/01/CH

HH-TL/02/BS HH-TL/04/COF

p203 HH-TL/06/GB HH-TL/07/MB



p204 HH-BM/01/CH HH-BM/02/BS HH-BM/04/COP HH-BM/06/GB



HENRY HOLT WALL MOUNTED p205 HH-WM/06/GB HH-WM/07/MB HH-WM/08/BGB HH-WM/01/CH HH-WM/02/BS HH-WM/04/COF



INTEGRATED SOAP DISPENSER p208

AC-SOAP/01/CH AC-SOAP/02/BS AC-SOAP/06/GB AC-SOAP/07/MB




1810 Code WSB/30/3X10/099




1810 Code WSB/40/1x20-2x10/098




CURVATO TRIO REPLACEMENT FILTER AC-FILTER




MOBILE DRAINER FOR MODELS ZD/1831/IF/BBR & ZD/3118/IF/BBL AC-ZEN-IF-MD



MOBILE DRAINER LARGE AC-ZEN-LGE-MD



MOBILE DRAINER MEDIUM AC-ZEN-MDM-MD



MOBILE DRAINER MEDIUM FOR TOP MOUNT
AC-ZEN-MDM-MD/TOP



ZEN COLANDER DRAINER STAINLESS STEEL AC-ZEN-COL-SS



ZEN COLANDER DRAINER COPPER AC-ZEN-COL-COP




ZEN COLANDER DRAINER GUNMETAL AC-ZEN-COL-GM



ZEN COLANDER DRAINER GOLD BRASS



ZEN COLANDER



ZEN GLASS CHOPPING BOARD



STEEL BASKET/ETRO/ VELORE AC-UNI-SWB



BASKET STRAINER - WASTE PLUG



Gunmetal AC-UNI-TIDY-GM

Gold Brass AC-UNI-TIDY-GB

WASTE TIDY Stainless Steel
AC-UNI-TIDY-SS



BASKET STRAINER WASTE WITH O-FLOW



BASKET STRAINER WASTE O-FLOW-FOR SOLID SURFACE AC-BSW-O-SOS



MINI-BASKET STRAINER WASTE FOR SOLID SURFACE



POP-UP BASKET STRAINER WASTE CHROME



BASKET STRAINER WASTE WITH O-FLOW - COPPER





WASTE KIT WITH OVERFLOW AND LOZENGE – COPPER AC-BSW-PACK1-COP

ALSO AVAILABLE IN GUNMETAL - AC-BSW-PACK1-GM GOLD BRASS - AC-BSW-PACK1-GB



WASTE KIT FOR CERAMIC SINK - COPPER AC-BSW-PACK2-COP





WASTE KIT WITH O-FLOW -PVD COPPER AC-BSW-PACK1-PVD-COP

GUNMETAL - AC-BSW-PACK1-PVD-GM GOLD BRASS - AC-BSW-PACK1-PVD-GB



BASKET STRAINER WASTE FOR BELFAST SINK (PLUG STYLE)



BASKET STRAINER WASTE FOR FIRECLAY BELFAST SINK AC-BSW-BEL-SS

ALSO AVAILABLE IN COPPER - AC-BSW-FC-COP GUNMETAL - AC-BSW-FC-GM GOLD BRASS - AC-BSW-FC-GB



BASKET STRAINER WASTE FOR FIRECLAY SINK

AVAILABLE IN COPPER - AC-BSW-FC-COP GUNMETAL - AC-BSW-FC-GM GOLD BRASS - AC-BSW-FC-GB



MAXIMISER PLUMBING KIT MPK1-2



COMPACT PLUMBING KIT CPK1-2


Errors and Omissions.

Although every precaution is taken with the content of this brochure, errors can occur.

If you find an error, please contact us at: sales@the1810company.co.uk

BASE UNIT SIZE GUIDE

AXIX RANGE / STAINLESS STEEL / COPPER / GUNMETAL	MIN CAB SIZE (MM)	LUXSOPLUS / STAINLESS STEEL	MIN CAB SIZE (MM)
AXIXUNO 190U	300	LUXSOPLUSUNO25 160U	300
AXIX UNO 210U	300	LUXSOPLUSUNO25 180U	300
AXIXUNO 450U	500	LUXSOPLUSUNO25 340U	400
AXIXUNO 500U	600	LUXSOPLUSUNO25 450U	500
AXIXUNO 700U	800	LUXSOPLUSUNO25 500U	600
AXIXUNO SET A	600	LUXSOPLUSUNO25 700U	800
AXIXUNO SET B	600	LUXSOPLUSDUO25 340/160U BBL + BBR	600
		LUXSOPLUSDUO25 340/180U BBL + BBR	600
ZEN RANGE / STAINLESS STEEL		LUXSOPLUSDUO25 500/180U BBL + BBR	800
ZENUNO 180U	300	LUXSOPLUSDUO25 340/340U	800
ZENUNO 340U / 340U DEEP	400	LUXSOPLUSDUO25 450/450U	1000
ZENUNO 400U / 400U DEEP	450		
ZENUNO 450U	500	ETRO RANGE / STAINLESS STEEL	
ZENUNO 500U / 500U DEEP / 500U OSW	600	ETROUNO 170U	300
ZENUNO 700U / 700U OSW	800	ETROUNO 340U	400
ZENDUO 340/180U + 180/340U	600	ETROUNO 400U	450
ZENDUO 550/180U + 180/550U	800	ETROUNO 550U	600
ZENDUO 700/180U GRANDE DEEP	1000	ETRODUO 589/450U REV + BBL + BBR	600
ZENDUO 340/340U	800	ETRODUO 781/450U BBL + BBR	800
ZENDUO 400/400U	900	ETRODUO 535/191U BBL + BBR	900
ZENDUO 415/415U DEEP	900	ETRODUO 340/340U	800
ZENTRIO 340/180/340U	1000	ETROTRIO 960/450U	1000
ZENUNO 675U CURVE	800		
		RAZOR10 RANGE / STAINLESS STEEL	
ZEN 15 RANGE / STAINLESS STEEL		RAZORUNO10 5 IF BBL + BBR	500
ZENUNO15 200U	300	RAZORUNO10 55 IF BBL + BBR	600
ZENUNO15 2000 ZENUNO15 340U	400	RAZORDUO10 6 IF BBL + BBR	600
ZENUNO15 400U	450	THEOTIDOOTOON BBL + BBN	000
ZENUNO15 500U / 500U OSW	600		
ZENUNO15 550U / 550U DEEP	600	FORZA RANGE / STAINLESS STEEL	
ZENUNO15 3000 / 3000 BEEF ZENUNO15 700U / 700U OSW / 700U DEEP	800	FORZADUO 150i BBL + BBR	600
ZENDUO15 340/180U + 15 180/340U	600	FORZAUNO 800i BBL + BBR	500
ZENDUO15 550/200U + 15 200/550U	900	FORZAUNO 100i BBL + BBR	600
ZENDUO15 400/400U	900		
2LND0013400/4000	300	BORDO RANGE / STAINLESS STEEL	
TENER DUD DANIOS (CORDED (CURRETTA)		BORDOUNO 800i BBL + BBR	500
ZEN15 PVD RANGE / COPPER / GUNMETAL		BORDOUNO 100i LARGE BBL + BBR	800
ZENUNO15 400U - COPPER / GUNMETAL / GOLD BRASS	450	BORDODUO 150i BBL + BBR	600
ZENUNO15 500U - COPPER / GUNMETAL / GOLD BRASS	600		
ZENUNO15 700U - COPPER / GUNMETAL / GOLD BRASS	800	VELORE RANGE / STAINLESS STEEL	
		VELOREDUO 100i	600
ZEN I-F RANGE / STAINLESS STEEL		VELOREUNO 860i	500
ZENDUO 180/310 I-F BBR + 310/180I-F BBL	600	VELOREUNO 100i LARGE	600
ZENUNO 45 I-F DEEP	500		
ZENUNO 5 I-F BBL + BBR	500	BLADE/PURQUARTZ	
ZENUNO 70 I-F DEEP BBL + BBR	800	BLADEUNO 860i	450
ZENDUO 6 I-F BBL + BBR	600	BLADEUNO 100i LARGE	600
		BLADEUNO 150i	600
ZEN15 I-F RANGE / STAINLESS STEEL			
ZENUNO15 400 I-F	450	SHARD / PURQUARTZ	
ZENUNO15 500 I-F	600	SHARDDUO 615i	600
ZENUNO15 700 I-F	800	SHARDUNO 100i LARGE	600
ZENUNO15 5 I-F BBL + BBR	500	SHARDDUO 150i	600
ZENUNO15 55 I-F BBL + BBR	600	3.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	
ZENDUO15 6 I-F BBL + BBR	600	DELTA / PURQUARTZ	
ZENDUO15 34/34 IF BBL + BBR	800		500
		DELTAUNO 860i DELTAUNO 100i Large	600
ZEN15 XXL RANGE / STAINLESS STEEL		DELTADUO 150i	600
ZENUNO15 550U XXL DEEP	600	DELIADOO 1501	000
ZENUNO15 750U XXL DEEP	900	CAVA (PURCUARTY	
ZENUNO15 550/340U XXL DEEP	1000	CAVA / PURQUARTZ	
		CAVAUNO 700U	600
ZEN10 OPTIONS / STAINLESS STEEL		CAVAUNO 720U	800
ZENUNO10 400 OPTIONS	500	CAVADUO 355/155U	600
ZENUNO10 800 OPTIONS	900		
ZENUNO10 1100 OPTIONS	1200	ARGILLA FIREPLAY / CERAMIC	
ZENUNO10 700 OPTIONS	800	ARGILLA FIRECLAY 250	300
		ARGILLA FIRECLAY 450	500
ACCESSIBLE / STAINLESS STEEL			
ZENUNO34 IF ACCESSIBLE BBL + BBR	450	ETRO RANGE / CERAMIC	
	.00	ETRODUO 343/136UC	600



Care & Cleaning

General care of The 1810 Company stainless steel sink and tap

Discolouration and most marks on stainless steel are caused by waterborne deposits clinging to its surface. They are always the result of an outside source rather than coming from the steel itself. Such stains are often seen as a "rainbow-effect" and can be avoided completely by removing wet cleaning aids (cloths, containers etc.) from the sink after use so as to avoid watermarking and rust stains. One of the best ways to care for the sink is to clean it with a product called 'Quean Clean' (available from www.queanclean.co.uk) which can be used as required. It will also remove grease and limescale. It is helpful to dry the sink thoroughly after cleaning.

Avoid:

- (a) the use of plastic bowls for washing up, as these cause heavy localised scratching;
- (b) leaving salt, vinegar, citric fruit juices, mustard or pickles on the surface for any length of time as they can cause corrosion;
- (c) abrasive cleaners such as bleach, scourers or wire woolpads.

Care needs to be taken not to damage the tap finish - cleaning should be gentle with a rinsed soft mild soapy cloth only. If limescale is a problem around the nozzle then gentle use of a small brush with some lemon juice will help alleviate the problem -taking care to rinse away any remaining lemon juice from the tap.

Scratching – stainless steel

The surface scratches which appear on stainless steel sinks rarely have any appreciable depth and will become less noticeable with age. A stainless steel sink will develop a patina with time and will look better a year after installation than during the first few months of use due to the fact that the scratching will have evened out. All sinks manufactured in stainless steel perform in exactly the same way in this respect be they manufactured by The 1810 Company or a competitor. We recommend the use of 'Quean Clean' which when used regularly will assist in maintaining vour sink.

We would point out that the use of a plastic washing up bowl will over time cause the development of regular abrasion marks over the sink's surface. Inox Cream - for use on stainless steel to be used after 'Quean Clean'. To use the Inox Cream, apply with a damp cloth (like a J-Cloth) using circular motions, allow to dry (to a white powder), then buff off with kitchen roll. The Inox Cream forms a waterproof layer on your sink, which helps the water drain off easier.

The 1810 Company are extremely stringent in the quality and standards required from the steel suppliers. The material used is high quality stainless steel which is metallurgically incapable of rusting or corroding in normal household conditions.

It can, however, harbour ferrous particles from the water supply and these often occur with newer installations when the pipework is disturbed, or from 'wire' scouring pads or utensils. These filings get deposited and cling to the sink surface and unless removed will rust.

In this instance we would recommend that the sink is cleaned thoroughly using 'Quean Clean'. This should be sprinkled onto the sink and scrubbed into a paste with a stiff nylon nailbrush (NB simply using a nylon washing up brush is not sufficient as the product needs to be worked into the 'valleys' of the texture of the sink), which should be left on the sink for at least thirty minutes before thoroughly rinsing off.

We would point out that unless the particles are completely removed they will return. It is therefore very important that after cleaning the sink, it is dried thoroughly.

This process needs to continue at least daily for a period of 7 to 10 days until the problem disappears. The problem is sometimes particularly obstinate to remove and it may take several attempts to restore the sink to its pristine condition.

Care & Cleaning of your CERANICA PURO Sink

Your new 1810 company Ceramic Sink is a high quality product, and has an impervious surface that is resistant to most household cleaning products and chemicals. Our products are carefully tested to be sure they perform to the highest standards. Please use a damp clean cloth for general cleaning.

Should you need to remove grease, soap and water marks, a proprietary bathroom cleaner should be used. Please be sure that the products are non abrasive, as they will dull the gloss surface of the product if used. Using a diluted bleach solution twice weekly applied with a sponge or soft cloth, then rinsed thoroughly with lots of water, will maintain the surface shine and keep your sink hygienically clean.

(NB: Care should always be taken when using bleach, please read manufacturers instructions for use.) Tougher limescale deposits can usually be removed using household vinegar or similar vinegar solutions. Care should be taken when using substances containing fluoride. Always ensure that any deposits are removed immediately before they can cause damage to the sinks surface. Any stubborn marks on the surface can be removed by liquid or cream bathroom cleaner, but marks such as those caused by iron or aluminium saucepans or similar objects can be removed using specialist cleaning products such as 'Astonish Oven and Cookware Cleaner' which are available from most supermarkets or online at 'www.astonishcleaners.com'.

Your new sink has a glazed ceramic surface, which although very strong, can be damaged by sharp metallic objects such as cutlery. Special care must be taken not to drop metal objects onto the surface of your sink.

Care & Cleaning of your OURQUOITZ Sink

Daily cleaning may be done with any non-abrasive cleaner. After every use, rinse and wipe the sink dry with a clean, soft cloth to eliminate any water spots or soap film build-ups.

REMOVING STAINS AND MINOR SCUFF MARKS:

Normal Stains - for stains, please use a mild abrasive cleanser, along with a soft scouring pad. Stubborn Stains - A solution of 50% bleach, 50% water should only be used for tough, stubborn stains. Let the solution sit in the bottom of the sink for one hour; then scrub. Rinse well.

LUSTRE: Mineral oil applied with a damp cloth can be used to restore

MISCELLANEOUS: To remove Calcium Deposits (a white ring around the bottom of your sink) use a lime scale cleaner.

To remove adhesive labels: use Acetone (nail polish remover). WHAT NOT TO USE:

- (1) Do not use any abrasive cleaning agents or scrub pads, such as Steel wool
- Straight bleach
- (3) Commercial alkalis, such as ammonia and/or caustic solutions
- (4) Drain blocking chemicals that involve filling the sink with water Note: Always test any stain removers in a small, non-visible location

Care & Cleaning of your PVD sink

We would advise that the sink is cleaned after each use with soapy water. To dry, use a soft cloth or sponge. This will help prevent water spotting and mineral build-up on the surface of the sink.

- (1) Never use steel wool in or on the sink (as it may leave steel deposits on the sink, which can cause rust)
- (2) Avoid all abrasive and aggressive chemicals
- (3) Avoid using harsh chemicals or bleaches
- (4) Avoid prolonged contact with ordinary steel containers (eg. Tin cans) as it may rust and stain the sink
- (5) Avoid prolonged exposures to acids from fruits, fruit juices, salts, tea bags etc, as these may leave stains
- (6) Avoid leaving liquid soaps, hand sanitizing liquids etc on the surface, as these may leave stains.

Warranty Information

The 1810 Company products feature the highest degree of technology, quality and design. As a result, we are proud to offer the following warranty.

Sinks

The 1810 Company warrants its sinks to be free of manufacturing defects in material and workmanship under normal residential usage for 75 years.


Taps


All taps installed in a private residence carry a 5 year warranty on all mechanical parts to be free of manufacturing defects in material and workmanship under normal usage. All finishes carry a 5 year warranty.

General

In the event of a warranty claim the owner will be required to provide proof of purchase in the form of a sales receipt. This warranty covers all components which make the product operational. The 1810 Company, at its option, may repair or replace the product or components necessary to restore the product to good working condition. The 1810 Company reserves the right to inspect the installation prior to the actual replacement of the product or component part.

This warranty does not cover misuse or abuse, accidental damages, scuffs or scratches, improper installation, abnormal usage, negligence or damage caused by improper maintenance or cleaning. Normal wear of parts is excluded from the warranty. Damage caused by impurities or acts beyond our control are not covered. Any product or part which has been repaired or altered in any manner outside of The 1810 Company's factory, unless previously authorised in writing by The 1810 Company, will void warranty. Any replacement excludes transportation and any labour re-installation costs.





SA37306 / Product Range 2021_v16 Design by weareable.uk.com

Head Office

Units 14-16 Bromfield Industrial Estate Queens Lane Mold CH7 1JR

t. +44 (0) 1978 660 770 **f.** +44 (0) 1978 660 771

e. sales@the1810company.co.uk w. www.the1810company.co.uk

London Showroom

Suite 303 Business Design Centre 52 Upper Street Islington London N1 0QH

t. +44 (0) 1978 660 770 **f.** +44 (0) 1978 660 771

e. sales@the1810company.co.uk w. www.the1810company.co.uk

Ireland

t. 01 485 4472 (ROI) **t.** +44 (0) 1978 660 770 **f.** +44 (0) 1978 660 771

e. sales@the1810company.ie w. www.the1810company.com











